

MATERIAL SAFETY DATA SHEET                      PAGE #1  
FOR COATINGS, RESINS AND RELATED MATERIALS  
DATE OF PREPARATION – 1/1/10

MANUFACTURER'S NAME : Kelley Technical Coatings  
ADDRESS : 1445 South 15th Street  
ADDRESS : PO Box 3726  
ADDRESS :  
CITY, STATE : Louisville, Kentucky, 40201-3726

EMERGENCY TELEPHONE NO. DAY: (502) 636-2561- NIGHT: (800) 424-9300-  
INFORMATION TELEPHONE NO. DAY: (502) 636-2561- NIGHT: (502) 418-5086-

-----  
SECTION I -- PRODUCT IDENTIFICATION  
-----

MANUFACTURER'S CODE IDENTIFICATION :6200B  
PRODUCT CLASS : Epoxy  
TRADE NAME : Smart Seal, WB Epoxy Floor Coating, Gray, Base  
HMIS INFORMATION : HEALTH : 02  
FLAMMABILITY : 01  
REACTIVITY : 01  
PERSONAL PROTECTIVE EQUIPMENT : REFER TO "SECTION VIII"

-----  
SECTION II -- HAZARDOUS INGREDIENTS  
-----

---- INGREDIENT ----	%BY	ACGIH	OSHA	SAR NUIS
MATERIAL DESCRIPTION	Cas	WEIGHT	T.L.V.	P.E.L 313 PGMT
Glycol Ether EP				
	2807-30-9	7.8172	Y Y	
2-BUTOXYETHANOL				
	111-76-2	2.1436 25PPM	50PPM	Y N

If indicated above; this material could constitute a personnel hazard.

If the CAS# field above starts with ## then this material is considered a trade secret.

-----  
SECTION III -- PHYSICAL DATA  
-----

LOWER EXPLOSION LEVEL      1.0 - 1.2



Hazardous Polymerization: ( ) - May Occur (X) - Will Not Occur

Hazardous Decomposition Products: - None

Conditions to Avoid: - None

Incompatibility (Materials to Avoid): - None

---

### SECTION VII -- SPILL OR LEAK PROCEDURES

---

Steps to be Taken in Case Material is Leaked or Spilled: - Shut off and eliminate leaks. Contain spill to prevent run-off to sewers, streams, and other bodies of water. Small spills can be cleaned up with sand or other absorbent material. Large spills must be reported to local agencies.

Waste Disposal Method: - Dispose of this product in accordance with all applicable local, county, state, and federal regulations.

---

### SECTION VIII -- SAFE HANDLING AND USE INFORMATION

---

MATERIAL SAFETY DATA SHEET

PAGE #3

MANUFACTURER'S CODE 6200B

DATE OF PREPARATION – 1/1/10

TRADE NAME Smart Seal, WB Epoxy Floor, Coating, Gray, Base

Respiratory Protection: - None

Ventilation: - None

Protective Gloves: - None

Eye Protection: - None

Other Protective Equipment: - None

Hygienic Practices: - Remove paint from skin contact after exposure.

---

### SECTION IX -- SPECIAL PRECAUTIONS

---

Precautions to be Taken in Handling and Storing: - Keep from freezing.

Other Precautions: - None