

BOILING RANGE HIGH 343 DF LOW 300 DF
VAPOR PRESSURE 1.30 MMHG @ 68DF
VAPOR DENSITY HEAVIER THAN AIR
EVAPORATION RATE SLOWER THAN BUTYL ACETATE
WEIGHT PER GALLON 13.37
% VOLATILE BY VOLUME 51.33
% VOLATILE BY WEIGHT 31.26
VOC --- LBS/GAL 1.46 LBS/GAL No Water 2.17
GRAMS/LITER 175.2 GRAMS/LITER 260.28

MATERIAL SAFETY DATA SHEET

PAGE #2

MANUFACTURER'S CODE 770B

DATE OF PREPARATION - 01-01-10

TRADE NAME SMART SEAL PRIME IT, Base,

SECTION IV -- FIRE AND EXPLOSION DATA

FLAMMABILITY CLASSIFICATION OSHA - CLASS III-B
DOT - NOT REGULATED
LOWEST FLASH POINT T.C.C. 201 DF
LOWER EXPLOSION LEVEL (LEL) 1.1%
Extinguishing Media: (No) - Foam (No) - Alcohol Foam (No) - CO2
(No) - Dry Chemical (No) - Water Fog (No) - Other
Unusual Fire and Explosion Hazards: - None
Special Fire Fighting Procedures: - None

SECTION V -- HEALTH HAZARD DATA

To the best of our knowledge, this product does not
contain any carcinogenic ingredients.
Effects of Overexposure: - None
Primary Route(s) of Entry: (No) - Dermal (No) - Inhalation
(No) - Ingestion
Emergency and First Aid Procedures: - None
Medical Conditions Prone to Aggravation by Exposure:
- Pre-existing respiratory, eye and skin conditions.

SECTION VI -- REACTIVITY DATA

Stability: () - Unstable (X) - Stable

Hazardous Polymerization: () - May Occur (X) - Will Not Occur

Hazardous Decomposition Products: - None

Conditions to Avoid: - None

Incompatibility (Materials to Avoid): - None

SECTION VII -- SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Leaked or Spilled: - None

Waste Disposal Method: - None

SECTION VIII -- SAFE HANDLING AND USE INFORMATION

MATERIAL SAFETY DATA SHEET

PAGE #3

MANUFACTURER'S CODE 770B

DATE OF PREPARATION - 01-01-10

TRADE NAME SMART SEAL PRIME IT, Base,

Respiratory Protection: - None

Ventilation: - None

Protective Gloves: - None

Eye Protection: - None

Other Protective Equipment: - None

Hygienic Practices: - Remove paint from skin contact after exposure.

SECTION IX -- SPECIAL PRECAUTIONS

Precautions to be Taken in Handling and Storing: - None

Other Precautions: - None