

Hazardous Polymerization: () - May Occur (X) - Will Not Occur

Hazardous Decomposition Products: - None

Conditions to Avoid: - None

Incompatibility (Materials to Avoid): - None

MATERIAL SAFETY DATA SHEET

PAGE #3

MANUFACTURER'S CODE 880C

DATE OF PREPARATION - 05/24/11

TRADE NAME Water Base Epoxy Primer,, Catalyst

SECTION VII -- SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Leaked or Spilled: - Shut off and eliminate leaks. Contain spill to prevent run-off to sewers, streams, and other bodies of water. Small spills can be cleaned up with sand or other absorbent material. Large spills must be reported to local agencies.

Waste Disposal Method: - Dispose of this product in accordance with all applicable local, county, state, and federal regulations.

SECTION VIII -- SAFE HANDLING AND USE INFORMATION

Respiratory Protection: - If exposure cannot be controlled below applicable limits, use the appropriate NIOSH approved respirator. Consult the respirator manufactures literature to ensure that the respirator will provide adequate protection.

Ventilation: - Use only in well-ventilated areas. Ensure adequate ventilation, especially in confined areas.

Protective Gloves: - Appropriate chemical resistant gloves should be worn.

Eye Protection: - Wear safety glasses or goggles to protect against exposure.

Hygienic Practices: - Remove paint from skin contact after exposure.

SECTION IX -- SPECIAL PRECAUTIONS

Precautions to be Taken in Handling and Storing: - Keep from freezing.